



Guidelines for Bibliographical Citations in LaTeX

Jean-Michel Hufflen

► To cite this version:

Jean-Michel Hufflen. Guidelines for Bibliographical Citations in LaTeX. ArsTeXnica, 2007, pp.103–110. hal-00644464

HAL Id: hal-00644464

<https://hal.science/hal-00644464>

Submitted on 24 Nov 2011

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Guidelines for Bibliographical Citations in L^AT_EX

Jean-Michel HUFFLEN

Abstract

After a short overview of the schemes used for bibliographical citations, we give some guidelines to use some packages of L^AT_EX 2_ε and bibliography styles of BibT_EX in order to write *adaptable* citations, i.e., texts where switching a citation scheme to another is easy.

Keywords L^AT_EX, BibT_EX, ConT_EXt, methodology, bib module, bibliography citation schemes, natbib, jurabib, camel, opcit, amsrefs, MIBibT_EX.

Sommario

Dopo una breve panoramica degli schemi usati per le citazioni bibliografiche, l'articolo fornisce alcune linee guida per l'utilizzo dei principali pacchetti di L^AT_EX 2_ε e stili bibliografici di BibT_EX, allo scopo di ottenere citazioni *flessibili*, ovvero testi in cui risulti facile passare da uno schema di citazioni ad un altro.

Parole chiave BibT_EX, ConT_EXt, metodologia, modulo bib, schemi per citazioni bibliografiche, natbib, jurabib, camel, opcit, amsrefs, MIBibT_EX.

1 Introduction

The T_EX typesetting engine [Knuth, 1984] has succeeded in implementing a clear separation between layout and structure and the word processors derived from it—in particular, L^AT_EX [Lamport, 1994]—are unrivalled within this domain. However, if users wish to take as much advantage as possible of this feature, they should pay attention to write *adaptable* documents. For example, to put down a rule box between two paragraphs, as wide as possible, it is preferable to use:

```
\rule{\columnwidth}{...}
```

rather than a absolute length given in centimeters (or in another length unit) for the first argument. This allows such a rule to be adapted to the body's width, and the `\columnwidth` command is better than `\textwidth`, because it prevents the possible use of a `two-column` option (see [Mittelbach and Goossens, 2004, § 2.1] about this option), as in the style used in the present proceedings. Other examples, more related to semantic markup, can be found in [Hufflen, 2006b].

This article also explores methodology, but about bibliographical citations. It does not replace the good descriptions of bibliographical citation schemes and their implementation by means

of L^AT_EX 2_ε packages given in [Mittelbach and Goossens, 2004, Ch. 12] and in more specialised reference manuals. It just aims to study how to write bibliographical citations according to a *flexible* way, especially when a word processor is used in conjunction with a bibliography processor. A good example of such a cooperation is given by L^AT_EX and BibT_EX [Patashnik, 1988a], the bibliography processor most commonly used with that word processor. This subject is not artificial: there are several citation schemes used throughout written documents. Often an author is familiar with a particular citation scheme when writing an article or a book, and may be asked by a publisher to rewrite this work by using another scheme. This *modus operandi* may be more difficult than planned.

First, we give a short overview of the citation schemes used, then we show how some bibliography styles of BibT_EX and packages of L^AT_EX 2_ε can put them into action. In a fourth section, we give some ‘tricks’ in order for bibliographical citations to be easily adaptable to most schemes. Then we explain how new bibliography styles should be built.

Reading this article requires a good practice of L^AT_EX and BibT_EX, but as end-users do. It is not needed to know how to write a new bibliography style for BibT_EX or new advanced commands for L^AT_EX. Let us only recall that when L^AT_EX and BibT_EX are used in conjunction, bibliographical *entries* are given in bibliography database (`.bib`) files—an example is given in Figure 1—and can be referred by means of the `\cite` command of L^AT_EX. This command's argument must be a key used within such a `.bib` file, e.g. `\cite{robeson1974c}`. Then BibT_EX searches these `.bib` files and builds a `.bbl` file containing bibliographical *references*¹ L^AT_EX can process. This `.bbl` file, containing the ‘References’ section usually put at a document's end, uses the `thebibliography` environment and the `\bibitem` command. See [Mittelbach and Goossens, 2004, § 12.1.2 & 12.1.3] for more details.

2 Citation schemes

Roughly speaking, bibliographical citations serve two purposes:

1. Here we use a precise terminology, which is defined within MIBibT_EX (‘MultiLingual BibT_EX’), our reimplementation of BibT_EX [2003]: an entry (resp. reference) belongs to a `.bib` (resp. `.bbl`) file.

```
@BOOK{herbert-anderson2000,
  AUTHOR = {Brian Herbert and Kevin J.
    Anderson},
  TITLE = {House {Atreides}}},
  PUBLISHER = {Bantam},
  SERIES = {Prelude to Dune},
  NUMBER = 1,
  YEAR = 2000,
  MONTH = feb}

@BOOK{robeson1974b,
  AUTHOR = {Kenneth Robeson},
  TITLE = {The Crimson Serpent},
  PUBLISHER = {Bantam},
  SERIES = {Doc Savage Series},
  NUMBER = 78,
  YEAR = 1974,
  MONTH = oct}

@BOOK{robeson1974c,
  AUTHOR = {Kenneth Robeson},
  TITLE = {The Devil Genghis},
  PUBLISHER = {Bantam},
  SERIES = {Doc Savage Series},
  NUMBER = 79,
  YEAR = 1974,
  MONTH = nov}
```

FIGURE 1: Bibliography sample.

- they can refer to a work where more information could be found,
- or they can acknowledge anterior or comparable works.

In both cases, we require that references to citations are unambiguous, so looking for them within the ‘References’ section should be easy. Some examples could be:

[3] is known as one of the best adventures of Doc Savage. [...] Brian Herbert and Kevin J. Anderson continued the *Dune* saga [1].

where a ‘plain’² style is used, that is, references are labelled with numbers.

The style of the first example is controversial: some people think that a text should remain intelligible if references to bibliographical citations are removed. A good rewriting of this sentence would be:

The Devil Genghis [3] is known as one of the best adventures of Doc Savage.

Let us remark that the title has been typed ‘manually’ in this previous sentence. In fact, we can think that there is information redundancy between the title both typed and given in the ‘References’ section. If there is a mistake about this

2. According to BibTEX’s terminology.

title, it must be fixed in several places: the bibliography database file and all the occurrences within the text’s body.

The second example does not meet this criticism, that sentence makes sense even if the citation is removed, but let us rewrite it using a ‘long’ style, that is, references are labelled with authors’ names, followed by the publication’s year:

Brian Herbert and Kevin J. Anderson continued the *Dune* saga [Herbert & Anderson 2000].

First, the same problem of information redundancy occurs, about the authors’ names. Second, the citation could omit them, since they are given earlier in the sentence:

Brian Herbert and Kevin J. Anderson continued the *Dune* saga [2000].

Now let us come to a short synthesis of the main citation schemes used throughout printed documents. As mentioned in [Butcher, 1992, § 10], there are four schemes:

number-only publications are sequentially numbered in the ‘References’ section, and citations refer to these numbers;

author-date³ citations use authors’ names, followed by the publication’s year; if an author published several works in a year, that year is suffixed with lowercase letters (e.g., ‘1974a’, ‘1974b’); in addition, references to citations can be abridged: only the year is given if the author’s name is known, and multiple citations concerning the same author supply this name only once (e.g., ‘[Robeson 1974a, 1974b]’ rather than ‘[Robeson 1974a, Robeson 1974b]’); more details about this scheme can be found in [Chicago, Ch. 16];

author-number this system is similar to the author-date system, except that each author’s publications are numbered and citations use authors’ names, followed by this number, e.g., ‘[Robeson (2)]’;

short-title references are given directly in the text at the first mention, the others may consist of an abridged form using the author’s name only, followed by an abbreviation of the title if there are several works of this author⁴; a full bibliography at the document’s end may

3. Also known as ‘Harvard system’.

4. From our personal point of view, ‘short-title’ is not good terminology for this system, because titles may be omitted for repeated references, if there is no ambiguity. In other words, the short-title system does not use titles always.

Herbert, Brian and Anderson, Kevin J. continued the *Dune* saga¹.

1. Herbert, Brian and Anderson, Kevin J. House Atreides. Bantam, February 2000, Prelude to Dune 1.

FIGURE 2: Citation as a footnote.

sum up all the references, it can also be omitted, since a complete specification of each reference is provided either inside the text, or in footnotes⁵.

To go on with our previous examples, the first could be rewritten using the short-title system:

Robeson, *The Devil Genghis* is...

if this book has already been referred in a text where other books of Kenneth Robeson are cited. Let us remark that this sentence must be reformulated differently if references are given as footnotes. In this last case, our second example looks better, as shown in Figure 2.

3 Bibliography styles and packages

The L^AT_EX distribution provides a rich set of bibliography styles usable with B_IB_TE_X, summarized in [Mittelbach and Goossens, 2004, Table 13.4]. Let us connect them to the schemes described in § 2. There is the ‘plain’ family, putting the number-only scheme, including styles such as `plain`, `abbrv`, and `acm`. We can consider that the ‘alpha’ family also puts this scheme into action. Labels are not numbers, but keys retaining some letters at the beginning of names, followed by the publication’s year. For example, the `alpha` style would produce the keys ‘[HA00]’, ‘[Rob74a]’, ‘[Rob74b]’ for the three entries of Figure 1. These keys are atomic, in the sense that it is impossible to split them into the information about author and year, so this style does not have the expressive power of an author-date system. The same for the styles belonging to the ‘long’ family⁶ [see Hufflen et al., 1998, § 4.3.3].

Some bibliography styles of B_IB_TE_X were developed as early attempts of the author-date scheme: `authordate{1–4}`, `chicago`, `harvard`, as mentioned in [Mittelbach and Goossens, 2004, § 12.3.1]. In addition to each bibliography style, a L^AT_EX 2_ε package provided more functionalities in order to cite only the authors of a reference—using an abbreviated form or *in extenso*—or the date only, or both.

Now, the best implementation of this scheme is the `natbib`⁷ package [see Mittelbach and Goossens,

5. This last style is most used within this scheme and often called ‘footnote-referencing’.

6. These styles are old and no longer provided in modern distributions of L^AT_EX. With some stylistic variants, they behaved as described in § 2 (see our examples).

7. NAT_URAL sciences BIB_LIography.

```
\documentclass{article}

\usepackage{jurabib}
\jurabibsetup{super,authorformat=and}

\begin{document}

\citefield{author}{herbert-anderson2000}
continued the \emph{Dune} saga
\fullcite{herbert-anderson2000}.

\bibliography{...}
\bibliographystyle{jurabib}

\end{document}
```

FIGURE 3: How to get the result shown in Fig. 2.

2004, § 12.3.2]. Let us consider again our second example:

```
\citeauthor{herbert-anderson2000}
continued the \emph{Dune} saga
\citeyearpar{herbert-anderson2000}.
```

the `\citeyearpar` command putting the year between delimiters, whereas `\citeyear` does not put them:

```
They’ve continued it since
\citeyear{herbert-anderson2000}.
```

We are close to the expected result, except that only last names are retained, first names are dropped out:

```
Herbert and Anderson continued the
Dune saga [2000]. They’ve continued it
since 2000.
```

The short-title scheme has been fully implemented by the `jurabib` package [see Mittelbach and Goossens, 2004, § 12.5.1]. This package is easily customisable by means of the `\jurabibsetup` command, as shown in Figure 3. Another implementation of the short-title scheme is given by the `camel` package [see Mittelbach and Goossens, 2004, § 12.5.2], but it uses an enlarged version of B_IB_TE_X. A package close to this scheme is `opcit` [Garcia, 2006], since it implements citations as footnotes, as often within this scheme. By default, this last package automatically uses its own bibliography style, `opcit.bst`.

4 Adaptable citations

4.1 Methodology

Let us recall that we aim to write adaptable citations in L^AT_EX source file, in order to prevent a change to another scheme if an article has already been written. On another point, we aim to avoid

```
\bibitem[Herbert and Anderson(2000)]{herbert-anderson2000}
Brian Herbert and Kevin~J. Anderson.
\newblock \emph{House {Atreides}}.
\newblock Number~1 in Prelude to Dune. Bantam, February 2000.

...

\bibitem[Robeson(1974{\natexlab{b}})]{robeson1974c}
Kenneth Robeson.
\newblock \emph{The Devil Genghis}.
\newblock Number~79 in Doc Savage Series. Bantam, November 1974{\natexlab{b}}.
```

FIGURE 4: References produced by the plainnat bibliography style.

information redundancy and attempt to extract as much information as possible from the metadata given in bibliography database files, and transcribed in the result files generated by BIBTEX. Here we are interested only superficially in the look of the citation keys and the ‘References’ sections: besides, many packages allow end-users to enhance them (see [Mittelbach and Goossens, 2004], throughout Chapter 12).

Our first advice is to avoid the sentences that need the full mention of a title, unless such style is absolutely necessary. As far as we know, only one package provides a command returning the title only, analogously to the commands `\citeauthor` and `\citeyear` of the `natbib` package. If we look into the `jurabib` package, its `\citetitle` command puts titles unconditionally, but after authors’ names⁸). This package also provides a `\citetitleonly` command, but the title is given as a footnote if references are to be given in footnotes. In other words, this command would be unsuitable for our first example (concerning *The Devil Genghis*) within the source text given in Figure 3. The only way to get a title inside a text, regardless of the citation style—as footnotes or in-text—is `\citefield{title}{...}`—see another example of using this command in Figure 3—provided by `jurabib`.

In fact, we think that authors should use the short-title scheme only if they are asked for that. Of course, this scheme offers undisputable advantages and is widely used in humanities. Moreover, the two implementations in LATEX of this scheme are very powerful. But it is difficult to adapt texts written using this scheme if we have to switch it to another. It is even difficult to switch a package implementing this scheme to the other. First, they use specific bibliography styles for BIBTEX: e.g., `jox`, `jurabib`, `jureco`, `jurunsrt` for `jurabib`. Second, the `camel` engine uses its own commands for citations and bibliography management. In addition, `jurabib` and `camel` have been developed in order to process juridical works: they provide features un-

known or rarely used in other fields. To sum up, the texts written with these packages may be very difficultly adaptable to other schemes, because of stylistic variants or because the commands used for citations are different.

For adaptable citations, the best solution is to use the `natbib` package as far as possible because it can produce author-date references as well as number-only ones. Using the `numbers` option:

```
\usepackage[numbers]{natbib}
```

causes bibliographical references to be labelled with numbers, as in the number-only scheme, whereas the commands `\citeauthor`, `\citeyear`, and `\citeyearpar` are still available. As shown in our previous examples, the `\citeyear` command should be used when the year is to be put down in any case. When only the year information is given because the author information is already know, a ‘trick’ is to define a new command:

```
\newcommand{\citeend}[1]{%
\ifNAT@numbers\citep{#1}\else%
\citeyearpar{#1}\fi}
```

(let us remark that the commands `\makeatletter` and `\makeatother` may be needed before and after this definition: see [Mittelbach and Goossens, 2004, § A.1.1] for more details). This `\citeend` command, used within a sentence such as:

```
... continued the \emph{Dune} saga
\citeend{herbert-anderson2000}.
```

will produce the citation of a numerical label if the `numbers` option has been selected, the year otherwise. In any cases, delimiters are put down.

For complete references, use the `\citep` command rather than `\cite` because the former always produces references between delimiters, as numbers if the `numbers` option is selected, as author-date information otherwise.

This *modus operandi* is also suitable for *unsorted* bibliographies, in which case the `unsrnat` bibliography style should be used. Let us recall that in such styles, bibliographical items are not

8. See Footnote 4, p. 2.

```

\bbitem[{\Herbert\jbbtasep Anderson\jbdy {2000}}%
{}%
{{0}}{\book}{2000}{}{}{}%
{Bantam\bibbdsep {} 2000}}%
{{House {Atreides}}}%
{}{}{2}{}{}{}{}%
]{herbert-anderson2000}
\jbbibargs {\bibnf {\Herbert} {Brian} {B.} {} {} \Bibbtasep \bibnf {\Anderson}
{Kevin~J.} {K.~J.} {} {} {} {Brian HerbertKevin~J. Anderson} {aus} {\bibtfnt
{House {Atreides}}\bibatsep\ \apyformat {Bantam\bibbdsep {} \febname\ 2000}
\numberandseries {1}{Prelude to Dune}} {\bibhowcited} \jbdtoitem
{{\Herbert}{Brian}{B.}{}{}; {\Anderson}{Kevin~J.}{K.~J.}{}{} {} {}
\bibAnnoteFile {herbert-anderson2000}

...

\bbitem[{\Robeson\jbdy {1974}}%
{}%
{{1}}{\book}{1974\el {b}}{}{}{}%
{Bantam\bibbdsep {} 1974\el {b}}}%
{{The Devil Genghis}}%
{}{}{2}{}{}{}{}%
]{robeson1974c}
\jbbibargs {\bibnf {\Robeson} {Kenneth} {K.} {} {} {} {Kenneth Robeson} {au}
{\bibtfnt {The Devil Genghis}\bibatsep\ \apyformat {Bantam\bibbdsep {}
\novname\ 1974\bibel {b}} \numberandseries {79}{Doc Savage Series}}
{\bibhowcited} \jbdtoitem {{\Robeson}{Kenneth}{K.}{}{} {} {} \bibAnnoteFile
{robeson1974c}

```

FIGURE 5: References produced by the jurabib bibliography style.

sorted with respect to the alphabetical order of authors or organisations, the order of such items in the ‘References’ section is the order of first citations of these items throughout the document. If references are labelled with numbers⁹, finding an item within an unsorted bibliography is easy, but that becomes difficult if a large bibliography with unordered labels is to be searched. In addition, checking if a particular work is cited within a ‘References’ section may be tedious.

4.2 Towards more powerful bibliography styles

The citation scheme used by L^AT_EX defaults to number-only, in which case the `\bbitem` command only has a mandatory argument:

```
\bbitem{robeson1974c}...
```

If we use a style belonging to the ‘alpha’ or ‘long’ family, an optional argument—built by Bib_TE_X—specifies which label is to be put in front of the corresponding reference:

```
\bbitem[Rob74a]{robeson1974c}...
```

9. In France, such a scheme is still used for Medicine Ph.D.s, but—strangely—not for the documents written by nurses, where the short-title scheme is usual. As far as we know, sorted bibliographies are commonly used within other scientific fields.

When a bibliography style suitable for the natbib package is used, this optional argument is used by the functions of the natbib package to retrieve the different parts of the author-date information: we show how this optional argument is built in Figure 4.

The structure passed from Bib_TE_X to L^AT_EX is much more expressive when we consider bibliography styles suitable for the jurabib package. Figure 5 shows how the jurabib bibliography style process the entries of Figure 1, this .bbl file being usable by the source text given in Figure 3. This kind of structure would be very tedious to produce manually. But the jurabib package allows much customisation and such complexity is the price to pay. For example, ‘`\jbbtasep`’ stands for ‘Between Two Authors Separation’, ‘`\jbdy`’ for ‘Dummy Year’¹⁰, the ‘book’ information is needed since jurabib allows a kind of entries to be processed specifically, ...

However, transmitting a structured text to the packages dealing with bibliography citations is the only way towards more powerful commands for citations. In fact, a modern version of the `\bbitem` command should not only provide a label, but also

10. By default, the `\jbdy` command skips the next token, and `\jbbtasep` inserts a ‘/’ character. This last command can be redefined by means of the `\jurabibetup` command, as shown in Figure 3.

```
\begin{bibdiv}
\begin{biblist}

\bib{herbert-anderson2000}{book}{
  author={Herbert, Brian},
  author={Anderson, Kevin~J.},
  title={House {Atreides}},
  series={Prelude to Dune},
  publisher={Bantam},
  date={2000},
  number={1},
}

...

\end{biblist}
\end{bibdiv}
```

FIGURE 6: References produced by the `amxport` bibliography style.

encompass all the metadata for a bibliographic item. The first implementation of this idea is given by the `amxport` bibliography style [Downes, 2000], which generates output files like the example of Figure 6. Let us remark that this style’s main purpose is not the definition of commands accessing particular parts of a reference within a text’s body. It aims to allow the specification of formatting bibliographical references using LATEX-like syntax. That is done by means of the functionalities of the `amsrefs` package.

A more modern implementation of this *modus operandi* is the `bib` module of ConTEXt [Hoekwater, 2006], the result of processing our bibliography sample being given in Figure 7. In ConTEXt [see Hagen, 2001, § 2.2], commands like ‘`\start...`’ and ‘`\stop...`’ are analogous to environment delimiters in LATEX (‘`\begin{...}`’ and ‘`\end{...}`’). The structured information put between the commands `\startpublication` and `\stoppublication` may be customised as described in [Hoekwater, 2006, § 2.2] by means of the `\setuppublicationlist` command. In particular, this command allows authors’ names to be typeset *in extenso* or abbreviated, but such customisation exists for the ‘References’ section, not for citations of authors’ names inside a text. The `bib` module¹¹ also provides an advanced command for citations [see Hoekwater, 2006, § 3], e.g.:

```
\cite[author][robeson1974b]
```

Let us remark that only some options are available: `author`, `authoryear`, `year`, ... but this command cannot put only a title. The layout of the texts produced by this command may be customised by means of the `\setupcite` command.

11. Roughly speaking, a ConTEXt module is analogous to a LATEX 2_ε package.

```
\startpublication[k=herbert-anderson2000,
t=book,
a={{Herbert},{Anderson}},y=2000,
n=1,s=HA00]
\author[] {Brian} [B.] {} {Herbert}
\author[] {Kevin~J.} [K.~J.] {} {Anderson}
\pubyear{2000}
\title{House {Atreides}}
\series{Prelude to Dune}
\volume{1}
\pubname{Bantam}
\month{2}
\stoppublication

...

\startpublication[k=robeson1974c,t=book,
a={{Robeson}},y=1974b,
n=3,s=Rob74b]
\author[] {Kenneth} [K.] {} {Robeson}
\pubyear{1974\maybeyear{b}}
\title{The Devil Genghis}
\series{Doc Savage Series}
\volume{79}
\pubname{Bantam}
\month{11}
\stoppublication
```

FIGURE 7: References used by the `bib` module of ConTEXt.

In Figure 8, you can see how to get a publication’s year with delimiters: by associating characters to the keywords `left` and `right` within an accurate `\setupcite` command. To get the same information without delimiters later in the text, use this command again with these two keywords associated to blank values. Roughly speaking, such an exercise may be viewed as worthwhile... or tedious. In fact, we personally consider that the approach of this module is promising, but it could be improved. Last, it is tightly related to ConTEXt, which does not use the same commands than LATEX.

Another point is related to multilingualism: if a citation command does not put keys, but text fragments, they should be hyphenated correctly if need be. By ‘correctly’, we mean ‘using the right patterns’, depending on languages. This is planned by the functions of the `jurabib` package, although all the information concerning a reference is supposed to be expressed in the same language. For example, an Italian author may write a text in English, in which case the title would be properly hyphenated, but not the author’s name. As another example related to multilingualism, the connection between successive co-authors’ names is also language-dependent: ‘and’ in English, ‘e’ in Italian, ... The `jurabib` package and the `bib` module can deal with such language-dependent fea-

```

\usemodule[bib]

\setupbibtex[database=...]

\starttext

\setupcite[author][left=,right=]
\setupcite[year][left=(,right=)]
\cite[author][herbert-anderson2000] have
continued the {\em Dune} saga
\cite[year][herbert-anderson2000].
\setupcite[year][left=,right=]
They've continued it since
\cite[year][herbert-anderson2000].

\placepublications

\stoptext

```

FIGURE 8: Example using ConT_EXt's bib module.

tures, the `natbib` package could be improved this way.

5 Conclusion

We personally used the number-only scheme for a long time. Then we had to rewrite several of our texts using the author-date scheme. We also helped some people to prepare written documents about other fields than those we have usually dealt with. Some adaptations were difficult, especially about unsorted bibliography styles and texts using the short-title scheme. Now we are aware of the influence of citation schemes on the style of writing and began to experiment some solutions.

On another point, we are presently rewriting the bibliography styles usable with the packages `natbib` and `jurabib`, taking as much advantage as possible of the new functionalities provided by MIBibT_EX, our reimplementation of BibT_EX (see App. A). This work has definitely convinced us that the present form of the `\bibitem` command was no longer suitable for modern requirements. As a possible solution, we plan to investigate the use of LuaT_EX [Hagen, 2006], a new typesetting engine built out of T_EX, mixing the expressive power of T_EX's features and service provided by a modern programming language. Within this framework, a bibliography processor could result in structures suitable for the Lua programming language [Ierusalimsky, 2006] when entries are processed. Then, when the word processor deals with a text, bibliographical references could be formatted by running fragments written in Lua.

A Using MIBibT_EX

MIBibT_EX is a reimplementation of BibT_EX with particular focus on multilingual features [Hufflen,

2003]. As we explain in [2006c], it uses XML¹² as a central formalism and bibliography styles may be written using a variant of XSLT¹³. A compatibility mode allows bibliography styles of BibT_EX to be run with MIBibT_EX [2006a], although some change would be needed to run the bibliography styles associated with the `jurabib` package¹⁴.

Concerning the problems raised by the different citation schemes, MIBibT_EX is able to provide the following solutions.

- It eases the specification of styles according to the author-number scheme¹⁵. These styles could be used with the `natbib` package¹⁶.
- More generally, we think that the new language for bibliography styles eases the programming of labels for references. For example, we can associate the two citation keys '[Rob 74a]' and '[Rob 74b]' with the two entries of Figure 1 whose author is Kenneth Robeson, according to the `alpha` bibliography style. But a variant of this style could associate the two labels '[Rob 74]' and '[Rob 74a]' with these two items, that is, an additional letter is used only from the second work if an author published several documents in a year. Such variants are easy to program with MIBibT_EX, in comparison to what should be done with the language of BibT_EX's bibliography styles.
- MIBibT_EX provides additional markup when some information—person names and titles especially—belongs to a language different from the global language of an entry. An example is given in Figure 9: this bibliographical entry concerns a work written in Italian, so the author's name and the title are supposed to be in Italian. This work is included in an international anthology whose two editors are American and French. In addition, the anthology's title is given in French. These informations about languages are given in Figure 9, this entry being suitable for MIBibT_EX. However, some rewriting of the `natbib` package would be needed in order for this package to take advantage of this feature.

12. eXtensible Markup Language. Readers interested in an introduction to it can refer to [Ray, 2001].

13. eXtensible Language Style Transformations. This language is used to write transformations of XML texts [W3C, 1999].

14. That is because MIBibT_EX and the styles suitable for `jurabib` both deal with a `LANGUAGE` field inside bibliographical entries, but this field obeys different conventions.

15. Although developing such styles using the language of bibliography styles of BibT_EX [Patashnik, 1988b] should be possible. However, that has not been done yet, as mentioned in [Mittelbach and Goossens, 2004, § 12.4].

16. There is no current support of this scheme for L^AT_EX, unless we accept that references are numbered globally, in which case the `natbib` package can be used with the `numbers` option [see Mittelbach and Goossens, 2004, § 12.4.1].


```
@INPROCEEDINGS{evangelisti2000,
  AUTHOR = {Valerio Evangelisti},
  TITLE = {Paradice},
  EDITOR = {[Robert Silverberg] :
    english and
    [Jacques Chambon] : french},
  BOOKTITLE = {[Destination 3001] :
    french},
  ...
  LANGUAGE = italian}
```

FIGURE 9: How to specify ‘foreign’ information in MIB_BT_EX.

Acknowledgements

I have learned very much whenever I helped some people to play with B_BT_EX and the citation commands of L^AT_EX. Initially, some of these people did not plan to use these two programs and had already begun to write important parts of their works. Thanks to them, because such cases gave me the idea of this paper. I am also grateful to Massimiliano Dominici, who has written the Italian translation of the abstract. Last, thanks to the anonymous referee, who suggested me significant improvement of the first version.

References

- Judith Butcher. *Copy-Editing. The Cambridge Handbook for Editors, Authors, Publishers*. Cambridge University Press, 3rd edition, 1992.
- Chicago. The Chicago manual of style. The University of Chicago Press, 1993. The 14th edition of a manual of style revised and expanded.
- Michael Downes. The amsrefs L^AT_EX package and the amsxport B_BT_EX style. *TUGboat*, 21(3): 201–209, September 2000.
- Federico Garcia. *opcit, a Package for Footnote-Style Bibliographical References*. <ftp://ctan.tug.org/tex-archive/macros/latex/contrib/opcit/opcit.pdf>, September 2006.
- Hans Hagen. *ConT_EXt, the Manual*. <http://www.pragma-ade.com/general/manuals/cont-enp.pdf>, November 2001.
- Hans Hagen. LuaT_EX: Howling to the moon. *Biuletyn Polskiej Grupy Użytkowników Systemu T_EX*, 23:63–68, April 2006.
- Taco Hoekwater. *ConT_EXt. Module Documentation. Bibliographies*. <http://dl.contextgarden.net/modules/t-bib/doc/context/bib/bibmod-doc.pdf>, March 2006.

- Jean-Michel Hufflen. MIB_BT_EX’s version 1.3. *TUGboat*, 24(2):249–262, July 2003.
- Jean-Michel Hufflen. B_BT_EX, MIB_BT_EX and bibliography styles. *Biuletyn GUST*, 23:76–80, April 2006a. In *BachoT_EX 2006 conference*.
- Jean-Michel Hufflen. Writing structured and semantics-oriented documents: T_EX vs XML. *Biuletyn GUST*, 23:104–108, April 2006b. In *BachoT_EX 2006 conference*.
- Jean-Michel Hufflen. MIB_BT_EX architecture. *ArsT_EXnica*, 2:54–59, October 2006c. In GUIT 2006 meeting.
- Jean-Michel Hufflen, Denis B. Roegel, and Karl Tombre. Guide local (I^A)T_EX du LORIA. Milésime 1998. Technical Report 98–R–214, LORIA, September 1998.
- Roberto Ierusalimsky. *Programming in Lua*. Lua.org, 2 edition, March 2006.
- Donald Ervin Knuth. *Computers & Typesetting. Vol. A: The T_EXbook*. Addison-Wesley Publishing Company, Reading, Massachusetts, 1984.
- Leslie Lamport. *L^AT_EX: A Document Preparation System. User’s Guide and Reference Manual*. Addison-Wesley Publishing Company, Reading, Massachusetts, 1994.
- Frank Mittelbach and Michel Goossens. *The L^AT_EX Companion*. Addison-Wesley Publishing Company, Reading, Massachusetts, 2 edition, August 2004.
- Oren Patashnik. *B_BT_EXing*. Part of the B_BT_EX distribution, February 1988a.
- Oren Patashnik. *Designing B_BT_EX Styles*. Part of the B_BT_EX distribution, February 1988b.
- Erik T. Ray. *Learning XML*. O’Reilly & Associates, Inc., January 2001.
- W3C. *XSL Transformations (XSLT). Version 1.0*. <http://www.w3.org/TR/1999/REC-xslt-19991116>, November 1999. W3C Recommendation. Edited by James Clark.
- ▷ Jean-Michel HUFFLEN
LIFC (EA CNRS 4157)
University of Franche-Comté
16, route de Gray
25030 BESANÇON CEDEX
FRANCE
hufflen@lifc.univ-fcomte.fr